



परिवर्ण, वन और जलवायु परिवर्तन मंत्रालय
Ministry of Environment, Forest and Climate Change



[Back](#)

[View Half Yearly Compliance Report at Project Proponent](#)

Proposal Details

Proposal No

IA/GJ/INFRA1/537804/2025

Category

INFRA-1

Name of Project

Gujarat Pipavav Port Limited (APM Terminals Pipavav)

Plot / Survey/ Khasra No.

Village(s)

Rampara No-2

Sub-District(s)

Rajula

State

GUJARAT

District

AMRELI

MoEF File No

11-91/2009-IA.III(Pt.)

Name of the Entity/

Corporate Office

GUJARAT PIPAVAV PORT LIMITED

Entity's PAN

*****6975B

Entity Name as per PAN

GUJARAT PIPAVAV PORT LIMITED

Entity details mentioned above is correct ?

Agree

Covering Letter

Covering Letter

[Click to View](#)

Compliance Reporting Details

Reporting Year

2025

Reporting Period

01 Dec(01 Apr - 30 Sep)

Remark(if any)

Dear Sir, Here we are submitting our EC and CRZ Clearance Half Yearly Report (Apr-25 to Sep-25) along with CSR and Environmental Monitoring Report. Regards Vishal Barve

Details of Production and Project Area

Date of Commencement of Project/Activity

01-09-2025

	Project Area as per EC Granted(ha.)	Actual Project Area in Possession(ha.)
Private	0	0
Revenue Land	0	0
Forest	0	0
Others	590	590
Total	590	590

Land Documents

NA

Sr.No.	Name of the Product	Units	As per EC Granted	As per CTO Granted	CTO ID	Valid Up To	Production during last financial year
1	Roll On Roll Off (Vehicle Transportation)	Others:CEU	300000	750000	14808	30-06-2029	99554
2	Liquid cargo	Million Tons per Annum (MTPA)	6.4	2.6	14808	30-06-2029	0.819084

3	Container cargo	Others:MTEUs	2.15	4	14808	30-06-2029	0.328343
4	Bulk and Break Bulk cargo	Million Tons per Annum (MTPA)	6	26	14808	30-06-2029	1.60

Conditions

Specific Conditions

Sr.No.	Condition Heading	Condition Details	Status of Compliance, Remarks / Reason and Supporting Documents		
1	MISCELLANEOUS	The guide bund could be created on the trussle without disturbing the existing Mangroves and Tidal flow, which helps to support the growth of the existing mangroves.	PPs Submission	Noted and Will be Complied We confirm that the guide bund will be constructed on the trussle without disturbing the existing mangroves and tidal flow, ensuring support for the growth and preservation of the mangrove ecosystem.	Complied 29-11-2025 Attachment:NA
2	MISCELLANEOUS	As specified by the SCZMA the project proponent shall carryout 500ha Mangroves plantation in consultation with the Forest Department.	PPs Submission	In compliance with the given condition, we wish to submit the following: We had earlier approached the Green Credit Cell regarding the 500 ha mangrove plantation. However, we were informed in online VC that the Green Credit Program is currently in its pilot stage and has been initiated only for Public Sector Undertakings and the Forest Department. Implementation for other industry entities	

				will commence at a later stage. A copy of the communication in this regard is enclosed as Annexure 1. We have also formally contacted the Gujarat Forest Department to initiate consultation for the 500 ha mangrove plantation and requested Head of the Forest Force, Principal Chief Conservator of Forest, Gandhinagar. A copy of this communication is enclosed as Annexure 2. We hereby confirm and assure that we will undertake the plantation of 500 hectares of mangroves in consultation with the Forest Department, as stipulated by the SCZMA. Being Complied 27-11-2025 Attachment: Click to View
3	MISCELLANEOUS	Mangrove patches are found in areas around the Construction of Container Yard and Reclamation of rea behind existing liquid jetty guide bund for Container Yard area. No Mangrove can be transplanted unless exigencies demand. Where absolutely necessary, relocating of Mangroves shall be undertaken with prior permission from the concern Authority. All the plantation will be done by the state forest	PPs Submission	Will be complied Condition will be complied during the proposed construction of Container Yard and reclamation of area behind Liquid jetty guide bund for container yard area. Being Complied 29-11-2025 Attachment:NA

		department as deposit work and not by private contractors.	
4	MISCELLANEOUS	<p>The PP shall prepare a Mangrove Restoration and Conservation Plan in consultation with the state forest department and submitted to the IRO of MoEFCC along with its first 6 monthly compliance report. The plan shall be implemented at the project cost and the status of the implementation of the same shall be submitted along with subsequent the six monthly EC and CRZ compliance report. The conservation plan shall adhere to the strategies to restore and revive the mangrove areas through ecological restoration and re-densification.</p>	<p>PPs Submission</p> <p>We appointed Government Science College, Mandvi (College of Marine Science and Environment Science) affiliated with Krantiguru Shyamji Krishna Verma Kachchh University for preparation of Mangroves restoration and Conservation Plan. We have submitted the report to the Forest Department for consultation. Copy of the Plan is attached here as Annexure-3. Being Complied 29-11-2025 Attachment: Click to View</p>
5	MISCELLANEOUS	<p>The wildlife conservation plan and green belt prepared shall be submitted to the State Forest Department. If the State Forest Department feels it necessary if any specific mitigation measures are recommended by the Forest Department, the same shall be incorporated into the Plan. A copy of the biodiversity assessment and conservation/mitigation plan shall be submitted to the Concern IRO, MoEFCC, to monitor the execution of the plan. Further, the status</p>	<p>PPs Submission</p> <p>Being Complied Wildlife Conservation Plan: A 5-Year Wildlife Conservation Plan has been prepared and approved by the Chief Wildlife Warden, Office of the Principal Chief Conservator of Forest, Gujarat Forest Department. The plan outlines activity-wise interventions along with an annual fund allocation matrix. Fund allocation has been finalized and shall be released as per schedule; Communication and coordination with the State Forest Department are</p>

of the implementation of the Conservation plan shall be submitted along with the six monthly EC and CRZ compliance report.

ongoing regarding the year-wise fund deposit and execution of the activities as per the approved plan. Any additional mitigation measures, if suggested by the Forest Department, will be duly incorporated into the plan. A copy of the approved Wildlife Conservation Plan and is attached herewith Annexure-4. Green Belt Development: We are actively implementing the Green Belt Development Plan as part of our ecological mitigation efforts and as per the CPCB Guidelines. The extent of green belt coverage is being progressively increased in a phased manner, in line with the project layout and environmental management plan. Native species suitable for the local ecology are being used to enhance the biodiversity and ecological resilience of the area. Biodiversity Assessment: A detailed Biodiversity Assessment Study has been conducted by The Maharaja Sayajirao University of Baroda as per the approved ToR. The study includes a comprehensive inventory of local flora and fauna, impact assessment, and recommended conservation measures. Copy of the

plan is attached here as Annexure-5
Being Complied
29-11-2025
Attachment: [Click to View](#)

6	MISCELLANEOUS	<p>BLEVE study shall be conducted for deciding the safe location of LPG storage in the port. Location is to be reviewed as per outcome of the study. The report of the study shall also be submitted to the IRO along with first 6 monthly compliance report along with action taken on this report</p>	PPs Submission	<p>BLEVE (Quantitative Risk Assessment) study has been conducted by M/s Jogi Safe Tech, Surat for the existing LPG Storage in the Port. Based on the findings of the study, the existing LPG storage location has been assessed to fall within the ALARP (As Low As Reasonably Practicable) region. Any future LPG Storage in Port shall also have BLEVE (Quantitative Risk Assessment) study to decide safe location. The study report with action taken report are hereby submitted as Annexure-6 for your kind reference and record.</p> <p>Complied 29-11-2025 Attachment: Click to View</p>
7	MISCELLANEOUS	<p>PP informed that the Joint Committee comprising of GCZMA sub Committee members along with the PP visited the proposed site on 11/11/2024 and made certain recommendations. All the recommendations shall be implemented as recommended by</p>	PPs Submission	<p>Being Complied We agreed to implement all recommendations as directed by the Honourable SCZMA. The status of implementation of the recommendations are as under. Project proponent (PP) shall ensure for free flow of tidal water in entire</p>

the SCZMA. The status of the implementation of the conditions shall be submitted along with the 6 monthly EC compliance report.

mangroves area within port limit. Complied: We confirm that free flow of tidal water across the entire mangrove area within the port limits is being ensured. Regular monitoring is being carried out to confirm that there are no obstructions to natural tidal movement. No blockage or restriction has been observed during the reporting period. We remain committed to preserving the ecological health of the mangrove ecosystem and will continue to ensure unobstructed tidal water flow as part of ongoing environmental management practices. PP shall carry out study report by third party reputed National level academic agency regarding conservation of mangroves area within port limit and mitigation measures for impact on mangroves area due to proposed expansion project. Being Complied: In line with the requirement, We have engaged Marine Department of Government Science College, Mandvi (College of Marine Science and Environment Science) affiliated with Krantiguru Shyamji

Krishna Verma
Kachchh University a reputed national level academic institution to carry out a detailed study on conservation of mangroves within the port limits. Phase 1 study report is attached herewith as Annexure-1 with recommendation mitigation measures to address any potential impacts arising from the proposed expansion project. The report will be submitted upon completion. PP shall carry out monitoring every year regarding verification of free flow of tidal water in mangrove area within port limit and submit monitoring report to GCZMA every year. During monitoring, if any change/reduction in free flow of tidal water is observed, necessary steps must be taken for ensuring free flow of tidal water for maintaining dense mangroves area within port limit. Being Complied: We are conducting monitoring to verify the free flow of tidal water in the mangrove area within the port limits. Monitoring reports will be submitted to GCZMA every year. In case any reduction or obstruction in tidal flow is observed, immediate corrective measures will be undertaken to restore

free flow and ensure the sustenance of dense mangrove cover. We have also engaged Government Science College, Mandvi (College of Marine Science and Environment Science) affiliated with Krantiguru Shyamji Krishna Verma Kachchh University for tidal water monitoring. Yearly report shall be submitted to GCZMA along with next six-monthly compliance report. The Project Proponent will submit a revised Wildlife Conservation Plan in consultation with the Forest Department, specifically addressing the requirements of the proposed expansion project.

Complied: A 5-Year Wildlife Conservation Plan has been approved by the Chief Wildlife Warden, Office of the Principal Chief Conservator of Forest, Gujarat Forest Department. The plan outlines activity-wise interventions along with an annual fund allocation matrix. Communication and coordination with the State Forest Department are ongoing regarding the year-wise fund deposit and execution of the activities as per the approved plan. Any additional mitigation measures, if suggested by the Forest Department, will be

				duly incorporated into the plan. A copy of the approved Wildlife Conservation Plan and is attached herewith Annexure-4. Being Complied 29-11-2025 Attachment: Click to View
8	MISCELLANEOUS	Marine ecological monitoring and its mitigation measures for the protection of phytoplankton, zooplankton, macrobenthos, estuaries, sea-grass, algae, seaweeds, Crustaceans, Fishes, coral reefs and mangroves, etc. shall be carried out.	PPs Submission	Baseline marine ecological and biodiversity studies has been done by M/s Indomer Coastal Hydraulics Private Limited and Maharaja Sayajirao University, Baroda as part of EIA. As per EIA recommendation marine ecological monitoring shall be carried out annually and mitigation measures for the protection of phytoplankton, zooplankton, macrobenthos, estuaries, sea-grass, algae, seaweeds, Crustaceans, Fishes, coral reefs and mangroves shall be carried out. Being Complied 29-11-2025 Attachment:NA
9	MISCELLANEOUS	The Project proponent shall ensure that no creeks or rivers are blocked or altered due to any activities at the project site and free flow of water is maintained	PPs Submission	We confirm that no creeks or rivers are blocked or altered due to project activities, and free flow of water is being always maintained at the project site. Being Complied

29-11-2025
Attachment:NA

10	MISCELLANEOUS	<p>Suitable preventive measures be taken to trap spillage of fuel/engine oil and lubricants from the construction site. Measures should be taken to contain, control, and recover the accidental spills of fuel during cargo handling.</p>	<p>PPs Submission</p>	<p>We have an Oil Spill Contingency Plan to address potential fuel, engine oil, and lubricant spills at the construction site and during cargo handling operations. Preventive measures implemented including but not limited to: Preventive maintenance system in place. Designated fueling and maintenance areas with spill containment systems. Use of oil spill kits and absorbent materials at critical locations. IMO Level I, II and III trainings for Oil Pollution Preparedness Response and Cooperation (OPRC) provided to site personnel for spill response and handling.</p> <p>Complied 29-11-2025 Attachment:NA</p>
----	---------------	--	-----------------------	---

11	MISCELLANEOUS	All the mitigation measures submitted in the EIA report shall be prepared in a matrix format, and the compliance for each mitigation plan shall be submitted to the Concern IRO, MoEFCC along with half-yearly compliance report.	PPs Submission	Being Complied All mitigation measures from the EIA report have been prepared into a matrix format. The compliance status for each mitigation plan is attached here as Annexure-7. Being Complied 29-11-2025 Attachment: Click to View
12	MISCELLANEOUS	All the recommendations and conditions specified by the Gujarat Coastal Zone Management Authority (GCZMA) vide letter No.ENV/10/2024/65/T dated 14th May, 2025 shall be complied with.	PPs Submission	Being Complied All the recommendations and conditions specified by the Gujarat Coastal Zone Management Authority (GCZMA) vide letter No. ENV/10/2024/65/T dated 14th May 2025 are being complied, compliance report of the same is attached herewith Annexure-8. Being Complied 29-11-2025 Attachment: Click to View
13	MISCELLANEOUS	All liquid waste arising from the proposed development will be disposed of as per the norms prescribed by the Central/State Pollution Control Board. There shall not be any disposal of untreated effluent into the sea/coastal water bodies. It shall be ensured that the wastewater generated is treated in the STP as committed by the project proponent. The treated waste water	PPs Submission	All liquid waste arising from the proposed development will be disposed of as per the norms prescribed by the Central/State Pollution Control Board. Two Sewage Treatment Plants (Township STP and Jetty STP) are operational. Regular monitoring and analysis of treated effluent are carried out through an in-house laboratory, as well as by a GPCB-approved consultant

		shall be reused for landscaping, flushing, and/or HVAC cooling purposes, etc. within the development. The project proponent should also make alternate arrangements for situations arising due to malfunctioning of STP. There shall be regular monitoring of standard parameters of the effluent discharge from STP under intimation to the SPCB.		and NABL-accredited laboratory M/s Kadam Environmental Consultants, Last six months report is attached here as Annexure-9. No untreated effluent is discharged. Treated wastewater is reused for horticulture purposes within the premises. Alternate arrangements are in place to handle any STP malfunction/breakdown. Being Complied 29-11-2025 Attachment: Click to View
14	MISCELLANEOUS	Cargo handling area shall be provided with the adequate number of high-efficiency dust extraction systems. Loading and unloading areas including all the transfer points should also have efficient dust control arrangements. These should be properly maintained and operated.	PPs Submission	Efficient dust control measures are in place at cargo handling area and all loading/unloading and transfer points. All systems are regularly maintained and operated to ensure effective dust management. Storage and handling areas are equipped with dust suppression measures like portable mist foggers, high range water monitor for water spray, green belt plantation. Being Complied 29-11-2025 Attachment:NA
15	MISCELLANEOUS	Storage of the cargo shall be accommodated with a Stacker reclaimed inside provided with DFS (Atomized Automatic Sprinkling System)	PPs Submission	Not Applicable Coal Handling in Port has been suspended since Oct-2023. Complied

		including peripheral drainage system, internal roads, firefighting system, etc.		29-11-2025 Attachment:NA
16	MISCELLANEOUS	The wind net should be erected in the upwind direction to reduce wind speed hitting the Anthracite coal, Iron and Cement. The wind net should not be erected as a rigid structure. It should be allowed to get sagged in order to avoid the swirling effect.	PPs Submission	Not Applicable Coal Handling in Port has been suspended since Oct-2023. We do not handle Iron and Cement in Bulk. Complied 29-11-2025 Attachment:NA
17	MISCELLANEOUS	Effective safeguard measures, such as regular water sprinkling, shall be carried out in critical areas prone to air pollution and having a high level of particulate matter such as around loading and unloading points and all transfer points. Extensive water sprinkling shall be carried out on haul roads. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.	PPs Submission	Effective safeguard measures, including regular water sprinkling and routine maintenance of haul roads, loading/unloading points, and transfer areas, are being diligently implemented to control particulate matter emissions. Storage and handling areas are equipped with dust suppression measures like portable mist foggers, high range water monitor for water spray, green belt plantation. Ambient air quality monitoring is conducted regularly by a NABL and MoEFCC -approved laboratory M/s Kadam Environmental Consultants. The monitoring reports for the last six months are submitted herewith as Annexure-10. Complied 29-11-2025

Attachment: [Click to View](#)

18	MISCELLANEOUS	<p>The project proponent shall install at least 4 systems to carry out Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5 in reference to PM emission, and SO₂ and NO_x in reference to SO₂ and NO_x emissions) within and outside the port area at least at four locations (one within and three outside the port area at an angle of 120 degree each), covering upwind and downwind directions.</p>	PPs Submission	<p>Ambient Air Quality monitoring is being carried out regularly through manual sampling by a NABL and MoEFCC - approved laboratory. Monitoring is conducted at four locations, covering upwind and downwind directions in accordance with the prescribed guidelines. The monitored parameters include PM10, PM2.5, SO₂, and NO_x. Monitoring reports are attached for reference Annexure-10.</p> <p>Complied 29-11-2025</p> <p>Attachment: Click to View</p>
----	---------------	---	----------------	--

19	MISCELLANEOUS	Appropriate Air Pollution Control (APC) system shall be provided for all the dust-generating points, including fugitive dust from all vulnerable sources, so as to comply with the prescribed fugitive emission standards	PPs Submission	Appropriate Air Pollution Control (APC) systems have been installed at all dust-generating and vulnerable points to control fugitive emissions. Measures such as portable mist foggers, high range water monitor for water spray, green belt plantation are in place to ensure compliance with prescribed fugitive emission standards. Complied 29-11-2025 Attachment:NA
20	MISCELLANEOUS	The project proponent shall abide by all the commitments and recommendations made in Form-II, EIA/EMP report, and also that have been made during their presentation to EAC.	PPs Submission	We are adhering to all the commitments and recommendations made in Form-II, the EIA/EMP report, and those presented before the Expert Appraisal Committee (EAC). Being Complied 29-11-2025 Attachment:NA
21	MISCELLANEOUS	Necessary arrangements for the treatment of the effluents and solid wastes/ facilitation of reception facilities under MARPOL must be made, and it must be ensured that they conform to the standards laid down by the competent authorities including the Central or State Pollution Control Board and under the	PPs Submission	Necessary arrangements for the treatment of effluents and solid waste, including reception facilities under MARPOL, have been made in compliance with applicable standards set by CPCB/SPCB and the Environment (Protection) Act, 1986. We confirm that also complying with the

		Environment (Protection) Act, 1986. The provisions of the Solid Waste Management Rules, 2016, E-Waste Management Rules, 2016, and Plastic Waste Management Rules, 2016 shall be complied with.		provisions of the Solid Waste Management Rules, 2016, E-Waste Management Rules, 2016, and Plastic Waste Management Rules, 2016. We are also registered on Swachh Sagar Portal under Port Reception Facility to ensure compliance to MARPOL. Complied 29-11-2025 Attachment:NA
22	MISCELLANEOUS	There should not be any groundwater extraction in the CRZ areas.	PPs Submission	The Port has piped water (Narmada Water) connection by M/s. Gujarat Water Infrastructure Ltd. Withdrawal of ground water within CRZ area of Port is strictly prohibited and there is no ground water withdrawal in port area for any purpose. Complied 29-11-2025 Attachment:NA

23	MISCELLANEOUS	<p>The Hazardous waste generated shall be properly collected and handled as per the provisions of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.</p>	PPs Submission	<p>Hazardous waste generated is being properly collected, stored, and handled in accordance with the provisions of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016. Annual returns are being submitted on GPCB XGN as per Form IV.</p> <p>Complied</p> <p>29-11-2025</p> <p>Attachment:NA</p>
24	MISCELLANEOUS	<p>The wastewater generated from the activity shall be collected, treated, and reused properly.</p>	PPs Submission	<p>Wastewater generated from the activity is being properly collected, treated through Sewage Treatment Plants and reused within the premises, primarily for horticulture and other non-potable purposes.</p> <p>Complied</p> <p>29-11-2025</p> <p>Attachment:NA</p>
25	MISCELLANEOUS	<p>No Solid Waste will be disposed of in the Coastal Regulatory Zone area. The Solid Waste shall be properly collected, segregated, and disposed as per the provision of Solid Waste Management Rules, 2016.</p>	PPs Submission	<p>Port has developed Waste Management Plan in accordance to Solid Waste Management Rules 2016. Three Types of bins (Bio-degradable, non-biodegradable and hazardous wastes) placed in various locations across the port. Segregation of solid waste is being carried out at Port facility before disposal. Different categories of Waste are classified</p>

				and stored in Non-Hazardous and Hazardous Storage area as per categorization. All the Hazardous waste is being sent to GPCB/CPCB authorized Recycler/Re-processors. Organic Waste Converter Machine (OWC) is installed at the site for the conversion of Organic Waste into the form of green Manure. An Eco-friendly Initiative. Woodchipper/Mulch Machine has installed at the site to use the green belt waste like branches and stem coming out during maintenance of trees like trimming and all, and it is converted into woodchips. Woodchips are used in green belt development to retain moisture in the soil, prevent soil erosion and to maintain the soil nutrients. Complied 29-11-2025 Attachment:NA
26	MISCELLANEOUS	The project proponent shall install necessary oil spill mitigation measures in the shipyard.	PPs Submission	Not Applicable No Shipyard in Gujarat Pipavav Port Limited. Complied 29-11-2025 Attachment:NA

27	MISCELLANEOUS	No hazardous chemicals shall be stored in the Coastal Regulation Zone area.	PPs Submission	Storage of only approved Chemicals as per Coastal Regulation Zone (CRZ) Regulation shall be stored. Being Complied 29-11-2025 Attachment:NA
28	MISCELLANEOUS	The Project Proponent (PP) shall conduct health impact studies through a reputed institute to assess the effects on the local community and evaluate the effectiveness of proposed mitigation measures.	PPs Submission	We have initiated process for appointing a reputed institute for carrying out health impact study on the local community and evaluating the effectiveness of proposed mitigation measures. Being Complied 29-11-2025 Attachment:NA
29	MISCELLANEOUS	Project Proponent shall strive to enhance the Green Belt beyond 33 percent and that the trees planted in this regard would be planted under the campaign "ek ped maa ke naam", and the details of the trees planted would be uploaded on the portal https://merilife.nic.in .	PPs Submission	We committed to enhancing the green belt as per the CPCB Guidelines. Tree plantation activities are being carried out under the campaign 'Ek Ped Maa Ke Naam', and details of the trees planted are being uploaded on the portal https://merilife.nic.in as per guidelines. Being Complied 29-11-2025 Attachment:NA
30	MISCELLANEOUS	The Project Proponent (PP) shall conduct training and capacity building for personnel involved in oil spill response and	PPs Submission	We are regularly conducting internal and external trainings and capacity-building programs for personnel involved in oil spill response and

			hazardous waste management.		hazardous waste management to ensure effective preparedness and compliance. IMO Level I, II and III trainings for Oil Pollution Preparedness Response and Cooperation (OPRC) provided to site personnel for spill response and handling. Annexure 11 is attached here for trained employees for IMO level OPRC training. Complied 29-11-2025 Attachment: Click to View
31	MISCELLANEOUS	Necessary approvals be taken during implementation and commissioning from statutory bodies concerned.	PPs Submission	All necessary approvals from the statutory bodies concerned have been obtained during the implementation and commissioning phases as required. Consolidated Consent to Operate from Gujarat Pollution Control Board is obtained vide CCA No. AWH-135546 and valid till 30.06.2029. Being Complied 29-11-2025 Attachment:NA	

32	MISCELLANEOUS	<p>The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.</p>	<p>PPs Submission</p>	<p>We confirm that Port installed adequate arrangements for protection against possible fire hazards. The firefighting system is installed and maintained as per the applicable norms and standards at various locations. Port is also equipped with Portable Firefighting equipment including Two numbers of Fire Truck. Regular training and mock drills are being carried out involving internal and external stakeholders.</p> <p>Being Complied 29-11-2025 Attachment:NA</p>
----	---------------	---	-----------------------	---

General Conditions

Sr.No.	Condition Heading	Condition Details	Status of Compliance, Remarks / Reason a	
1	Statutory compliance	<p>Construction activity shall be carried out strictly according to the provisions of CRZ Notification, 2011 and the State Coastal Zone Management Plan as drawn up by the State Government. No construction work other than those permitted in Coastal Regulation Zone Notification shall be carried out in Coastal Regulation Zone area.</p>	<p>PPs Submission</p>	<p>All construction act accordance with the and the State Coast unauthorized const Regulation Zone an</p> <p>Being Complied 29-11-2025 Attachment:NA</p>
2	Statutory compliance	<p>A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.</p>	<p>PPs Submission</p>	<p>A certificate of ade from the concerne</p> <p>Being Complied 29-11-2025 Attachment:NA</p>

3	Statutory compliance	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Coast Guard, Civil Aviation Department shall be obtained, as applicable by project proponents from the respective competent authorities.	PPs Submission	All applicable statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Coast Guard, Civil Aviation Department shall be obtained, as applicable by project proponents from the respective competent authorities.
4	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5 in reference to PM emission, and SO2 and NOx in reference to SO2 and NOx emissions) within and outside the project area at least at four locations, covering upwind and downwind directions.	PPs Submission	Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5 in reference to PM emission, and SO2 and NOx in reference to SO2 and NOx emissions) within and outside the project area at least at four locations, covering upwind and downwind directions.
5	AIR QUALITY MONITORING AND PRESERVATION	Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed emission standards.	PPs Submission	Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed emission standards.
6	AIR QUALITY MONITORING AND PRESERVATION	Shrouding shall be carried out in the work site enclosing the dock/proposed facility area. This will act as dust curtain as well as achieving zero dust discharge from the site. These curtain or shroud will be immensely effective in restricting disturbance from wind in affecting the dry dock operations, preventing waste dispersion, improving working conditions through provision of shade for the workers.	PPs Submission	Not Applicable No dry dock proposed.

7	AIR QUALITY MONITORING AND PRESERVATION	Dust collectors shall be deployed in all areas where blasting (surface cleaning) and painting operations are to be carried out, supplemented by stacks for effective dispersion.	PPs Submission	Not Applicable. No Pipavav Port Limited Complied 29-11-2025 Attachment:NA
8	AIR QUALITY MONITORING AND PRESERVATION	The Vessels shall comply the emission norms prescribed from time to time.	PPs Submission	All vessels calling at specified in DGS Circular with MARPOL guidelines Being Complied 29-11-2025 Attachment:NA
9	AIR QUALITY MONITORING AND PRESERVATION	Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.	PPs Submission	Diesel generator sets norms specified under Low sulphur diesel provided as per the stack monitoring has approved laboratory as Annexure-12. Complied 29-11-2025 Attachment: Click to download
10	AIR QUALITY MONITORING AND PRESERVATION	A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall	PPs Submission	A detailed traffic management plan has been incorporated in the Phase-1 expansion report by Consultants (India) to mitigate the cumulative impact of the project in Chapter 7.5 of the report. The plan is validated and implemented by the Urban Development authorities. Being Complied 29-11-2025 Attachment:NA

		also have their consent to the implementation of components of the plan which involve the participation of these departments.		
11	WATER QUALITY MONITORING AND PRESERVATION	The Project proponent shall ensure that no creeks or rivers are blocked due to any activities at the project site and free flow of water is maintained.	PPs Submission	No creeks or rivers any project-related Being Complied 29-11-2025 Attachment:NA
12	WATER QUALITY MONITORING AND PRESERVATION	Appropriate measures must be taken while undertaking digging activities to avoid any likely degradation of water quality. Silt curtains shall be used to contain the spreading of suspended sediment during dredging within the dredging area.	PPs Submission	Appropriate environmental Dredging studies shall be conducted to ensure that dredging activities do not cause significant degradation of water quality. Silt curtains will be deployed to contain the spreading of suspended sediment during dredging within the dredging area. Being Complied 29-11-2025 Attachment:NA
13	WATER QUALITY MONITORING AND PRESERVATION	No ships docking at the proposed project site will discharge its on-board waste water untreated into the estuary/ channel. All such wastewater load will be diverted to the proposed Effluent Treatment Plant of the project site.	PPs Submission	No vessel calling at the project site will discharge its on-board wastewater untreated into the estuary/ channel. All such wastewater load will be diverted to the proposed Effluent Treatment Plant of the project site. Circular No. 02 of 2020 Being Complied 29-11-2025 Attachment:NA
14	WATER QUALITY MONITORING AND PRESERVATION	Measures should be taken to contain, control and recover the accidental spills of fuel and cargo handled.	PPs Submission	Adequate measures to contain, control and recover the accidental spills of fuel and cargo handled will be put in place, and sufficient personnel is available for response. Being Complied 29-11-2025 Attachment:NA

15	WATER QUALITY MONITORING AND PRESERVATION	The project proponents will draw up and implement a plan for the management of temperature differences between intake waters and discharge waters.	PPs Submission	Not Applicable No activities. Complied 29-11-2025 Attachment:NA
16	WATER QUALITY MONITORING AND PRESERVATION	Spillage of fuel / engine oil and lubricants from the construction site are a source of organic pollution which impacts marine life. This shall be prevented by suitable precautions and also by providing necessary mechanisms to trap the spillage.	PPs Submission	Precautions have been taken to trap oil, and lubricants at the source. Appropriate mechanisms are in place to prevent spills, minimizing oil and lubricants entering the environment. Being Complied 29-11-2025 Attachment:NA
17	WATER QUALITY MONITORING AND PRESERVATION	Total fresh water use shall not exceed the proposed requirement as provided in the project details. Prior permission from competent authority shall be obtained for use of fresh water.	PPs Submission	Total fresh water usage shall be monitored and controlled within the reporting period. Prior permission has been obtained from the competent authority. Being Complied 29-11-2025 Attachment:NA
18	WATER QUALITY MONITORING AND PRESERVATION	Sewage Treatment Plant shall be provided to treat the wastewater generated from the project. Treated water shall be reused for horticulture, flushing, backwash, HVAC purposes and dust suppression.	PPs Submission	Sewage Treatment Plant shall be provided to treat the wastewater generated from the project. Treated water shall be reused for horticulture, flushing, backwash, HVAC purposes and dust suppression. Being Complied 29-11-2025 Attachment:NA
19	WATER QUALITY MONITORING AND PRESERVATION	A certificate from the competent authority for discharging treated effluent/ untreated effluents into the Public sewer/ disposal/drainage systems along with the final disposal point should be obtained.	PPs Submission	Not Applicable. The project is located on a consolidated horticultural premises for which a single discharge consent is issued by the Gujarat Pollution Control Board. Untreated effluents are disposed of through the sewer/disposal/drainage system. Being Complied 29-11-2025 Attachment:NA

20	WATER QUALITY MONITORING AND PRESERVATION	No diversion of the natural course of the river shall be made without prior permission from the Ministry of Water resources.	PPs Submission	Not Applicable The Complied 29-11-2025 Attachment:NA
21	WATER QUALITY MONITORING AND PRESERVATION	All the erosion control measures shall be taken at water front facilities. Earth protection work shall be carried out to avoid erosion of soil from the shoreline/boundary line from the land area into the marine water body.	PPs Submission	Erosion control measures at waterfront facilities out to prevent soil erosion into the boundaries into the marine water body. Being Complied 29-11-2025 Attachment:NA
22	Noise Monitoring & Prevention	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.	PPs Submission	Noise level survey has been carried as per the guidelines on Monitoring and Prevention of noise pollution annexure-13. Complied 29-11-2025 Attachment: Click to view
23	Noise Monitoring & Prevention	Noise from vehicles, power machinery and equipment on-site should not exceed the prescribed limit. Equipment should be regularly serviced. Attention should also be given to muffler maintenance and enclosure of noisy equipments.	PPs Submission	Noise from vehicles within the prescribed limit. Vehicles are frequently checked for noise certificates. Being Complied 29-11-2025 Attachment:NA
24	Noise Monitoring & Prevention	Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.	PPs Submission	Acoustic enclosures in locations have been implemented such as Earmuffs are used by personnel as part of noise control measures. Complied 29-11-2025 Attachment:NA
25	Noise Monitoring & Prevention	The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day	PPs Submission	Ambient noise levels are within the prescribed limits of 75 dB(A) during daytime and 55 dB(A) during nighttime, as per E(P)A Rules, 1986.

		time and 70 dB(A) during night time.		Complied 29-11-2025 Attachment:NA
26	ENERGY PRESERVATION MEASURES	Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly.	PPs Submission	A 1,000 kWp roofc the Port. Regular m optimal performance (PPA) has been exe Bhoomi Pvt. Ltd. (sc GPPL (power purch sourcing and sustai Complied 29-11-2025 Attachment:NA
27	ENERGY PRESERVATION MEASURES	Provide LED lights in offices and project areas.	PPs Submission	LED lights have alre areas to ensure ene Complied 29-11-2025 Attachment:NA
28	WASTE MANAGEMENT	Dredged material shall be disposed safely in the designated areas	PPs Submission	Will be Complied D designated areas as will also utilized for Agreed to Comply 29-11-2025 Attachment:NA
29	WASTE MANAGEMENT	Shoreline should not be disturbed due to dumping. Periodical study on shore line changes shall be conducted and mitigation carried out, if necessary. The details shall be submitted along with the six monthly monitoring reports.	PPs Submission	Shoreline change st Coastal Hydraulics monitoring and nec implemented. Shore annually as per EIA Being Complied 29-11-2025 Attachment:NA

30	WASTE MANAGEMENT	Necessary arrangements for the treatment of the effluents and solid wastes must be made and it must be ensured that they conform to the standards laid down by the competent authorities including the Central or State Pollution Control Board and under the Environment (Protection) Act, 1986.	PPs Submission	Sewage and solid waste place and operate a Central and State Pollution Control Environment (Protection) Act, 1986. Complied 29-11-2025 Attachment:NA
31	WASTE MANAGEMENT	The solid wastes shall be managed and disposed as per the norms of the Solid Waste Management Rules, 2016.	PPs Submission	Solid waste is being managed as per the Solid Waste Management Rules, 2016. Complied 29-11-2025 Attachment:NA
32	WASTE MANAGEMENT	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Waste Management Rules, 2016.	PPs Submission	Construction and demolition wastes are managed in compliance with the Construction and Demolition Waste Management Rules, 2016. Being Complied 29-11-2025 Attachment:NA
33	WASTE MANAGEMENT	A certificate from the competent authority handling municipal solid wastes should be obtained, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project.	PPs Submission	A certificate from the competent authority handling municipal solid wastes has been obtained. Being Complied 29-11-2025 Attachment:NA
34	WASTE MANAGEMENT	Used CFLs and CFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.	PPs Submission	Not Applicable We are not using CFLs for light. Complied 29-11-2025 Attachment:NA
35	WASTE MANAGEMENT	Oil spill contingency plan shall be prepared and part of DMP to tackle emergencies. The equipment and recovery of oil from a spill would be assessed. Guidelines given in MARPOL and Shipping Acts for oil spill management would be followed. Mechanism for integration of terminals oil contingency plan	PPs Submission	Being Complied Oil spill contingency plan is prepared and part of DMP to tackle emergencies. The equipment and recovery of oil from a spill would be assessed. Guidelines given in MARPOL and Shipping Acts for oil spill management would be followed. Mechanism for integration of terminals oil contingency plan is being followed. Being Complied 29-11-2025 Attachment:NA

		with the overall area contingency plan under the co-ordination of Coast should be covered.		
36	GREENBELT	Green belt shall be developed in area as provided in project details with a native tree species in accordance with CPCB guidelines.	PPs Submission	Green belt is being native tree species, plantation activities Being Complied 29-11-2025 Attachment:NA
37	GREENBELT	Top soil shall be separately stored and used in the development of green belt.	PPs Submission	Topsoil is being sep development. Being Complied 29-11-2025 Attachment:NA
38	Marine/Coastal	Dredging shall not be carried out during the fish breeding and spawning seasons.	PPs Submission	Dredging is strictly seasons. Complied 29-11-2025 Attachment:NA
39	Marine/Coastal	Dredging, etc shall be carried out in the confined manner to reduce the impacts on marine environment.	PPs Submission	Will be Complied D to minimize impact Being Complied 29-11-2025 Attachment:NA
40	Marine/Coastal	The dredging schedule shall be so planned that the turbidity developed is dispersed soon enough to prevent any stress on the fish population.	PPs Submission	Will be Complied D ensure rapid disper fish population. NIK dispersion modelin Being Complied 29-11-2025 Attachment:NA

41	Marine/Coastal	While carrying out dredging, an independent monitoring shall be carried out through a Government Agency/Institute to assess the impact and necessary measures shall be taken on priority basis if any adverse impact is observed.	PPs Submission	Government Science and Enviro Shyamji Krishna Ve independent monit necessary measures actions on priority i Being Complied 29-11-2025 Attachment:NA
42	Marine/Coastal	A detailed marine biodiversity management plan shall be prepared through the NIO or any other institute of repute on marine, brackish water and fresh water ecology and biodiversity and submitted to and implemented to the satisfaction of the State Biodiversity Board and the CRZ authority. The report shall be based on a study of the impact of the project activities on the intertidal biotopes, corals and coral communities, molluscs, sea grasses, sea weeds, sub-tidal habitats, fishes, other marine and aquatic micro, macro and mega flora and fauna including benthos, plankton, turtles, birds etc. as also the productivity. The data collection and impact assessment shall be as per standards survey methods and include underwater photography.	PPs Submission	A detailed Biodiversity Management Plan shall be prepared by The Maharaja Sayajirao University of Baroda approved ToR. The plan shall include a study of local flora and fauna, and the proposed conservation measures. The plan shall be submitted to the State Biodiversity Board and the CRZ authority. The report shall be based on a study of the impact of the project activities on the intertidal biotopes, corals and coral communities, molluscs, sea grasses, sea weeds, sub-tidal habitats, fishes, other marine and aquatic micro, macro and mega flora and fauna including benthos, plankton, turtles, birds etc. as also the productivity. The data collection and impact assessment shall be as per standards survey methods and include underwater photography.
43	Marine/Coastal	Marine ecology shall be monitored regularly also in terms of sea weeds, sea grasses, mudflats, sand dunes, fisheries, echinoderms, shrimps, turtles, corals, coastal vegetation, mangroves and other marine biodiversity components including all micro, macro and mega floral and faunal components of marine biodiversity.	PPs Submission	Marine ecology is being monitored regularly also in terms of sea weeds, sea grasses, mudflats, sand dunes, fisheries, echinoderms, shrimps, turtles, corals, coastal vegetation, mangroves and other marine biodiversity components including all micro, macro and mega floral and faunal components of marine biodiversity.
44	Marine/Coastal	The project proponent shall ensure that water traffic does not impact the aquatic wildlife	PPs Submission	Not Applicable. No impact on aquatic wildlife.

		sanctuaries that fall along the stretch of the river.		29-11-2025 Attachment:NA
45	PUBLIC HEARING	The work space shall be maintained as per international standards for occupational health and safety with provision of fresh air respirators, blowers, and fans to prevent any accumulation and inhalation of undesirable levels of pollutants including VOCs.	PPs Submission	Workspaces are maintained as per international standards for occupational health and safety with provision of fresh air respirators, blowers, and fans to prevent any accumulation and inhalation of undesirable levels of pollutants including VOCs. Complied 29-11-2025 Attachment:NA
46	PUBLIC HEARING	Workers shall be strictly enforced to wear personal protective equipments like dust mask, ear muffs or ear plugs, whenever and wherever necessary/ required. Special visco-elastic gloves will be used by labour exposed to hazards from vibration.	PPs Submission	Use of personal protective equipments like dust mask, ear muffs or ear plugs, whenever and wherever necessary/ required. Special visco-elastic gloves will be used by labour exposed to hazards from vibration. Complied 29-11-2025 Attachment:NA
47	PUBLIC HEARING	In case of repair of any old vessels, excessive care shall be taken while handling Asbestos and Freon gas. Besides, fully enclosed covering should be provided for the temporary storage of asbestos materials at site before disposal to CTSDF.	PPs Submission	Not Applicable No. of workers limited. Complied 29-11-2025 Attachment:NA
48	PUBLIC HEARING	Safety training shall be given to all workers specific to their work area and every worker and employee will be engaged in fire hazard awareness training and mock drills which will be conducted regularly. All standard safety and occupational hazard measures shall be implemented and monitored by the concerned officials to prevent the occurrence of untoward incidents/ accidents.	PPs Submission	We confirm that safety training shall be given to all workers specific to their work area and every worker and employee will be engaged in fire hazard awareness training and mock drills which will be conducted regularly. All standard safety and occupational hazard measures shall be implemented and monitored by the concerned officials to prevent the occurrence of untoward incidents/ accidents. Complied 29-11-2025 Attachment: Click to download
49	PUBLIC HEARING	Emergency preparedness plan based on the Hazard	PPs Submission	Emergency Preparedness Plan has been implemented based on the Hazard.

		identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.		Assessment (HIRA) necessary measures potential emergency here as Annexure-1 Complied 29-11-2025 Attachment: Click to
50	PUBLIC HEARING	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	PPs Submission	We confirm that ad labour will be provi infrastructure such water, medical care structures will be re Being Complied 29-11-2025 Attachment:NA
51	PUBLIC HEARING	Occupational health surveillance of the workers shall be done on a regular basis.	PPs Submission	Complied We confi all workers is being Factories Rules, 196 Welfare) Act, 1986 t well-being as per st 32 is attached here Complied 29-11-2025 Attachment: Click to
52	MISCELLANEOUS	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest /wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the	PPs Submission	Company has a well Policy) duly approved includes our comm leadership responsi infringements/deviat /wildlife norms/ co stakeholders is in p Annexure-17. Complied 29-11-2025 Attachment: Click to

		MoEFCC as a part of six-monthly report.	
53	MISCELLANEOUS	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.	PPs Submission A separate Environmental Cell both at the project site and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization. Complied 29-11-2025 Attachment:NA
54	MISCELLANEOUS	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.	PPs Submission We confirm that an Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report. Being Complied 29-11-2025 Attachment:NA
55	MISCELLANEOUS	Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.	PPs Submission We confirm that self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out. Being Complied 29-11-2025 Attachment:NA
56	MISCELLANEOUS	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and	PPs Submission Advertisement for EC approval was published in the following newspapers: AVADH TIMES-AMRELI, DIVYA BHARAT, FINANCIAL EXPRESS and LOKAYUKTA attached here as Annexure-A is available on our website at https://www.apmterminals.com/Environmental%20Clearance%20-%20APM%20Terminals.pdf Complied 29-11-2025 Attachment: Click to View

		in addition this shall also be displayed in the project proponent website permanently.		
57	MISCELLANEOUS	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	PPs Submission	Copies of the Enviro the Heads of local bodies relevant Government period of 30 days for the same is attached here Complied 29-11-2025 Attachment: Click to view
58	MISCELLANEOUS	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	PPs Submission	Noted and agreed. Copy of Clearance is available on our website https://www.apmterminals.com . Agreed to Comply 29-11-2025 Attachment:NA
59	MISCELLANEOUS	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	PPs Submission	Complied We regularly update on the Parivesh portal for climate change. Agreed to Comply 29-11-2025 Attachment:NA
60	MISCELLANEOUS	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	PPs Submission	Complied We are regularly submitting the environmental statement to the Gujarat Pollution Control Board on the website at below link. https://www.apmterminals.com Complied 29-11-2025 Attachment:NA
61	MISCELLANEOUS	The criteria pollutant levels namely; PM2.5, PM10, SO2, NOx (ambient levels) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	PPs Submission	We confirm that ambient pollutant levels PM2.5, PM10, SO2, NOx are displayed at a location near the main gate of the company in the public domain. Being Complied 29-11-2025 Attachment:NA

62	MISCELLANEOUS	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	PPs Submission	We confirm that all State Pollution Con being strictly adher Being Complied 29-11-2025 Attachment:NA
63	MISCELLANEOUS	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.	PPs Submission	We confirm that all in the EIA/EMP repo the Expert Appraisal and implemented. Being Complied 29-11-2025 Attachment:NA
64	MISCELLANEOUS	No further expansion or modifications in the project shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEFCC).	PPs Submission	We confirm that no will be undertaken Ministry of Environment (MoEFCC). Being Complied 29-11-2025 Attachment:NA
65	MISCELLANEOUS	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	PPs Submission	Noted and agreed. Agreed to Comply 27-11-2025 Attachment:NA
66	MISCELLANEOUS	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	PPs Submission	Noted and agreed. Agreed to Comply 27-11-2025 Attachment:NA
67	MISCELLANEOUS	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	PPs Submission	Noted and agreed. Agreed to Comply 27-11-2025 Attachment:NA

68	MISCELLANEOUS	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.	PPs Submission	Noted and agreed. Agreed to Comply 27-11-2025 Attachment:NA
69	MISCELLANEOUS	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.	PPs Submission	Noted and agreed. Agreed to Comply 27-11-2025 Attachment:NA
70	MISCELLANEOUS	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	PPs Submission	Noted and agreed. Agreed to Comply 27-11-2025 Attachment:NA

Document uploaded by the PP

Last Site Visit Report (if available)

[Click to View](#)

Last Site Visit Report Date (if available)

Additional Attachment (if any)

[Click to View](#)

Additional Remarks (if any)

Letter No. GPPL/Environment/2025/012 28th November 2025 To, Deputy Director General of Forests (C) Ministry of Environment, Forest and Climate Change Integrated Regional Office, Gandhi Nagar, A-Wing-407 and 409, Aranya Bhawan Near CH-3 Circle, Sector 10 A, Gandhi Nagar-382010, Gujarat Sub :

Submission of Six-Monthly Compliance Status of Environmental and CRZ Clearance Report for APM Terminal- Pipavav, Rajula- Gujarat. Ref: : Environmental Clearance Letter No.: 11-91/2009-IA.III (Pt.), dated; 22 July 2025. (Proposal No. IA/GJ/INFRA1/537804/2025) Respected Sir, With reference to the above subject, please find enclosed Six- Monthly (Half Yearly) Environmental Clearance (EC) and CRZ Clearance Compliance Status report for the period of July-2025 to September-2025 along with Environmental Parameters Report and Corporate Social Responsibility status report. Kindly acknowledge the receipt of these reports. Thanking You, Yours faithfully For Gujarat Pipavav Port Limited APM Terminals Pipavav Copy to: 1. The Chairman, Zonal Office-Central Pollution Control Board, Parivesh Bhavan, Opp. VMC ward Office No. 10, Subhanpura, Vadodara-390023 2. The Member Secretary, Gujarat Pollution Control Board, Paryavaran Bhavan, Opp. Bij Nigam, CHH Road, Sector 10A, Gandhinagar, Gujarat 382010. 3. The Regional Officer, Gujarat Pollution Control Board, Swastik Complex, 1st Floor, Plot No. 1616/1617, Near Vir Mokhadaji Circle, Ghogha Road, Bhavnagar- 364001(Gujarat). 4. Director and Ex-officio DS (Environment) and MS, GCZMA, Gandhinagar 5. Parivesh Portal Encl: 1. EC and CRZ Compliance Report (July-2025 to September-2025)

I 'GUJARAT PIPAVAV PORT LIMITED' hereby give undertaking that the data and information given in the filed compliance and enclosures are true to be best of my knowledge and belief and I am aware that if any part of the data and information found to be false or misleading at any stage, the clearance given to the project will be revoked at our risk and cost. In addition to above, I hereby give undertaking that no activity such as change in project layout, construction, expansion, etc. has been taken up without due approval.

Cover Letter From RO/SRO

Cover Letter From RO/SRO

Back